# Outcomes of the implementation of the European & UK pressure ulcer guidelines and UK Government agenda across a UK primary Care Trust



Jackie Stephen-Havnes Consultant Nurse and Senior lecturer in Tissue Viability Worcestershire PCT: i.stephen-havnes@nhs.net Michelle Greenwood Honorary Tissue Viability Nurse Worcestershire PCT michelle.greenwood@smith-nephew.com Introduction

The research exploring the impact of living with a pressure ulcer (Hopkins et al 2006, Spilsbury et al 2007) identified endless pain and a restricted life. Pressure ulcers account for 3% of the annual United Kingdom National Health Service expenditure, which is estimated at £2.3-£3.1bn per year (Drew et al, 2007). Pressure ulcers have become increasingly high on the political agenda since the NICE 2005 (Nice 2005) and publication of the EPUAP (EPUAP 2009) guidelines. Clinical benchmarking (DoH 1999). The Quality. Innovation. Productivity and Prevention (QUIPP 2010) and High Impact (DoH 2009) emphasise Actions the importance of pressure ulcer prevention with the 7 main areas including:

 Aetiology **Risk Assessment**  Nutrition Skin Assessment Positioning Support Surfaces Management

#### Example of Audit questions

1.Has the patient been assessed for the presence of or risk of developing pressure ulcers at initial contact /5

contacts in District Nursing?

2. Is the assessor a registered health care practitioner?

3. Does the patient /carer have access to written information about their pressure ulcer or risk status?

4. Does the patients/carers consider the information that is supplied to them useful? 5.Does the patients/carers have an agreed individualised plan, which is documented?

6. Has the patients need for re-positioning been assessed and documented?

7. Does the patient have an appropriate pressure reducing mattress?

(Using the equipment selection form for community hospitals/community)

8. Does the patient have the appropriate pressure reducing cushion?

(Using the equipment selection form for community hospitals/community)

9. Is the plan fully implemented and in partnership with the

multidisciplinary team/patients/clients/carers.

10 Has a date for reassessment been identified?

## Method

To reflect the national and government agenda a number of approaches have been utilised within the PCT to implement a strategy for the prevention, management and audit of pressure ulceration. The Tissue Viability Nurse consultant and Honorary tissue Viability nurse (TV Team) lead and assisted in conducting the pressure ulcer clinical benchmarking audit across the PCT. The TV team also reviewed the pressure

ulcer nursing documentation as a subset of a much larger Wound assessment audit.

#### References

Callaghan, R. (2009) Unpublished PCT data

DoH (1999) The Essence of Care. Clinical benchmarking. DoH London

DoH (2008) Darzi, A. High Quality Care for All. DoH, London. www.dh.gov.uk/prod\_consum\_dh/groups/dh\_digitalassets/@dh/@ en/documents/digitalasset/dh\_085828.pdf DoH, (2009) Darzi, A. Transforming Community Services: Ambition, Action, Achievement. Transforming services for acute care

**Results:** 

Clinical benchmarking audit identified:

• 96% of patients had a pressure ulcer risk assessment completed by staff

 66% of staff provided patient information •81% implemented a planned repositioning programme

 84% involved the multi-disciplinary team in care associated with the pressure ulcer 73% documented the date for the next reassessment

## Outcomes

The audit informed the development of: A bespoke educational programme to include risk assessment, categorisation of pressure ulcers, use of equipment and a database of all staff that had attended pressure ulcer study days

 A tissue viability website linked to the PCT intranet making training, guidelines and resources available to all staff.

- Implementation of the public awareness
- "Your Turn" campaign. (www.yourturn.com

 Updated patient information and pressure ulcer awareness reminder postcards.

 Standard recording of all category 3+ Pressure ulcers

 Annual audit of mattresses, beds and cushions across community hospitals On-going data collection on the incidence of pressure ulcers in Care homes are 7.9% (Callaghan 2009)

closer to home. DoH, 24 June 2009. ww.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH\_101425 DoH (2010) The NHS Quality, Innovation, Productivity and Prevention challenge: An introduction for clinicians. www.dh.gov.uk/quality and productivity. Accessed 23.9.2010 Drew P, Posnett J, Rusling L (2007) The cost of wound care for a local population in England. Int Wound J 4(2): 149–55 EPUAP- NPUAP (2009) Quick version guide. OR www.npuap.org or www.epuap.org

Hopkins, A. Dealey, C. Bale, S. Defloor, T. Worboys, F. (2006) Patient stories of living with a pressure ulcer. Journal of Advanced Nursing.. Nov; 56(4):345-53 Spilsbury, K. Nelson, A. Cullum, N. Iglesias, C. Nixon Mason, S. (2007) Pressure ulcers and their treatment and effects on quality of life: hospital inpatient perspectives. J Adv Nurs. 2007 Mar: 57(5):494-504

